



ZX1 250-1M TEST DATA									
Voltage VAC	Frequency Hz	Capacitors μ F	Current A	Power W	Air Level	Speed r/min	Measured value dB(A)	Atmospheric Density kg/m ³	Background Noise dB(A)
220	50	/	0.289	29.2	L		29.4	1.2	15.6




Anechoic Chamber




ZX1 250-1M TEST DATA									
Voltage VAC	Frequency Hz	Capacitors μ F	Current A	Power W	Air Level	Speed r/min	Measured value dB(A)	Atmospheric Density kg/m ³	Background Noise dB(A)
220	50	/	0.723	93.1	M		33.4	1.2	15.6

Noise Spectrum



Cursor values


X: 2.000k Hz
 Y: 27.901 dB(A)/20u Pa
 Total : 33.482 dB(A)/20u Pa



Cursor values


X: 2.000k Hz
 Y: 35.205 dB(A)/20u Pa

Anechoic Chamber




ZX1 250-1M TEST DATA									
Voltage VAC	Frequenc y Hz	Capacitor s μF	Current A	Power W	Air Level	Speed r/min	Measured value dB(A)	Atmospheric Density kg/m ³	Background Noise dB(A)
220	50	/	1.070	144.2	H		38.6	1.2	15.6

Noise Spectrum



Cursor values

X: 2.000k Hz
 Y: 32.242 dB(A)/20u Pa
 Total : 38.677 dB(A)/20u Pa



Cursor values

X: 2.000k Hz
 Y: 40.999 dB(A)/20u Pa

Anechoic Chamber

