



ZX1 190-2M TEST DATA									
Voltage VAC	Frequency Hz	Capacitors μ F	Current A	Power W	Air Level	Speed r/min	Measured value dB(A)	Atmospheric Density kg/m^3	Background Noise dB(A)
220	50	/	0.167	15.2	L		21.9	1.2	15.6

Autospectrum(Sound) - Input (Real) \ CPB 3



Cursor values
 X: 630.000 Hz
 Y: 17.013 dB(A)/20u Pa
 Total : 21.955 dB(A)/20u Pa

Autospectrum(Sound) - Input (Real) \ FFT-sound





Cursor values
 X: 631.250 Hz
 Y: 10.069 dB(A)/20u Pa

Anechoic Chamber



ZX1 190-2M TEST DATA									
Voltage VAC	Frequency Hz	Capacitors μ F	Current A	Power W	Air Level	Speed r/min	Measured value dB(A)	Atmospheric Density kg/m ³	Background Noise dB(A)
220	50	/	0.354	42.3	M		27.7	1.2	15.6




Anechoic Chamber




ZX1 190-2M TEST DATA									
Voltage VAC	Frequency Hz	Capacitors μ F	Current A	Power W	Air Level	Speed r/min	Measured value dB(A)	Atmospheric Density kg/m^3	Background Noise dB(A)
220	50	/	0.602	78.4	H		29.8	1.2	15.6

Noise Spectrum



Cursor values

X: 3.150k Hz
 Y: 25.011 dB(A)/20u Pa
 Total : 29.893 dB(A)/20u Pa



Cursor values

X: 3.150k Hz
 Y: 27.751 dB(A)/20u Pa

Anechoic Chamber

